

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1 (currently amended): A process for discharging dry bulk materials from a bulk container that ensures first-in, first-out uninterrupted flow comprising the steps of

providing a substantially conical container bottom,

providing a plurality of air-permeable fluidized bed zones positioned edge to edge to each other disposed along the container bottom, said zones comprising at least five substantially pie slice shaped zones and one donut shaped zone surrounding a container outlet, and

providing air alternately to the donut shaped zone and at least one of the pie shaped zones.

2 (original): The process of claim 1, further comprising the step of providing a wall liner.

3 – 6 (canceled)

7 (original): The process of claim 1 wherein the air is provided to the donut shaped zone for intervals of about six seconds.

8 (original): The process of claim 1 wherein the air is provided to at least one of the pie shaped zones for intervals of about 20 seconds.

9 (canceled)

10 (original): The process of claim 1 wherein the air is provided at about 1 psi gauge.

11 (currently amended): An apparatus for discharging dry bulk materials from a bulk container that ensures first-in, first-out uninterrupted flow comprising
a substantially conical container bottom,
at least five pie shaped air permeable fluidized bed zones positioned edge to edge to each other disposed about the container bottom, and
one donut shaped air permeable zone surrounding a container outlet.

12 (currently amended): The apparatus of claim 11 wherein the air permeable fluidized bed zones are made of webbed fabric.

13 (currently amended): The apparatus of claim 12 wherein the air permeable fluidized bed zones are formed by a webbed fabric secured in a spaced, substantially air tight, arrangement to the container bottom.

14 (currently amended): The apparatus of claim 11 wherein the air permeable fluidized bed zones are made of a two-ply fabric disposed at the container bottom, the ply nearest the bottom made of a substantially air tight material.

15 (original): The apparatus of claim 14 wherein the first ply is PVC.

16 (original): The apparatus of claim 14 wherein the second ply is made of a webbed material.

17 (currently amended): The apparatus of claim 14 wherein the air permeable fluidized bed zones are made by sewing the plies together radially to make the pie slice shaped zone and circumferentially to make the donut shaped zone.

18 (currently amended): The apparatus of claim 11 wherein the air permeable fluidized bed zones are formed by laying down strips of material over an air permeable fabric and securing the strips to the container bottom radially for pie slice shaped zones and circumferentially for the donut shaped zones.

19 (canceled)

20 (original): The apparatus of claim 11 further comprising a flexible sidewall liner.

21 (original): The apparatus of claim 20 wherein the liner is in communication with the outside perimeter of the pie slice shaped zones.

22 (original): The apparatus of claim 21 wherein the liner is sewn to the perimeter of the zones.

23 (original): The apparatus of claim 11 wherein the container bottom forms a less than 60 degree angle from horizontal.

24 (original): The apparatus of claim 11 wherein the container bottom forms an angle of approximately 15 degrees from horizontal.

25 (original): The apparatus of claim 11 further comprising an air blower in communication with the air permeable zones.

26 (original): The apparatus of claim 25 further comprising an air distribution controller adapted to alternately provide air to the donut shaped zone and at least one of the pie shaped zones.

27 (original): The apparatus of claim 25 further comprising an air diffuser for each zone in communication with the blow and air permeable zones adapted to diffuse the direction of the air entering the zones.

28 (canceled)

29 (original): The apparatus of claim 11 wherein the surface area of each zone is less than 20% that of the surface area of the container bottom.

30 (original): The apparatus of claim 11 wherein ten or eleven pie slice shaped zones are provided.

31 (original): The apparatus of claim 11 wherein the bulk container is a silo.

32 (original): The apparatus of claim 21 further comprising a liner top with at least one pleated air filter.

33 (canceled)